

See price list for available finishes (finish chart is on the order form)



American Lock Mortise Cylinder 9110

1" length supplied with Adam Rite MS Cam as standard. Machined from solid brass bar stock. Can be keyed to OEM master key system. Drilled 5-pin, keyed 5-pin, Furnished with two keys

Model
005-9110



American Lock Mortise Cylinder 9120

1-1/8" length supplied with Yale STD Cam as standard. Machined from solid brass bar stock. Can be keyed to OEM master key system. Drilled 6-pin, Keyed 5-pin, Furnished with two keys.

Model
005-9120



American Lock Mortise Cylinder 9130

1-1/4" length supplied with Yale STD Cam as standard. Machined from solid brass bar stock. Can be keyed to OEM master key system. Drilled 6-pin, keyed 5-pin. Furnished with two keys.

Model
005-9130



American Lock Mortise Thumb Turn Cylinder

Solid knob and machined from solid brass bar stock. Available in three lengths with standard cams.

Models	Description
005-9210	1" length with Adams Rite MS Cam
005-9220	1-1/8" length with Yale STD Cam
005-9230	1-1/4" Length with Yale STD Cam



American Lock Mortise Dummy Cylinder

Machined from solid brass bar stock. Available in three length.

Models	Description
005-9310	1" length
005-9320	1-1/8" length
005-9330	1-1/4" length




American Lock Rim Cylinder

Machined from solid brass bar stock. Breakaway tail piece. Includes trim ring. Drilled 6-pin, keyed 5-pin, Furnished with two keys

Model
005-9500

See price list for available finishes (finish chart is on the order form)

American Lock Mortise and Rim Cylinders



005-9120

Models	Description
005-9110X01 626 KA2	1-1/8" SCC
005-9110X03 626 KA2	1" SCK
005-9110X06 626 KA2	1" KWK
005-9110X14 626 KA2	1" SAR
005-9120X03 626 KA2	1-1/8" SCK
005-9120X11 626	1-1/8" CORB 60
005-9120X14 626	1-1/8" SAR
005-9120X04 626 KA2	1-1/8" YALE
005-9130X01 626 KA2	1-1/4" SCC
005-9130X04 605 KA2	1-1/4" HS
005-9130X04 626 KA2	1-1/4" YALE 8
005-9210 26D T -TURN	1" w/Adams Rite MS Cam
005-9210X DUR T -TURN	1" w/Adams Rite MS Cam
005-9310 626 Dummy	1" w/Adams Rite MS Cam
005-9310DUR Dummy	1" w/Adams Rite MS Cam
005-9500X01 605 KA2	SCC Rim
005-9500X01 626 KA2	SCC Rim
005-9500X04 605 KA2	YALE Rim 8
005-9500X04 626 KA2	YALE Rim
005-9500X06 605 KA2	KWK Rim
005-A9220 260 T-TURN	1-1/8" w/Yale STD Cam
005-A9220X DUR T-TURN	1-1/8" w/Yale STD Cam
005-A923026D T-TURN	1-1/4" w/Yale STD Cam
005-A9230XDUR T-TURN	1-1/4" w/Yale STD Cam
005-A9320 626 DUMMY	1-1/8"
005-A9320 DUR DUMMY	1-1/8"
005-A9330 626-DUMMY	1-1/4"
005-A9330 DUR DUMMY	1-1/4"

Arrow 1-1/8" Mortise Cylinders

Cam Functions:
12-17-22; Use cam 001
11-13-19-21-31-34; Use Cam 002



Models
007-MC1 001 1-1/8 26D
007-MC1 002 1-1/8 26D

Arrow Mortise Cylinder Housing



- **Body** - Brass 1-5/32" dia.
- **Furnished** - with Cam (Specity), cylinder collar 16-113A Less Core
- **Finishes:** US3, US4, US10, US10B, US26, US26D
- **Length** - 1-1/8" pin only; 1-1/4" 6 or 7 pin

Models	Description
007- 16CR-16	1-1/8" 6 Pin
007-C16CR-27	1-1/4" 6 or 7 Pin
007-C16CR-16D	1-1/8" 6 Pin, Drill Resistant
007-C16CR-27D	1-1/4" 6 or 7 Pin, Drill Resistant
007-C16CRT-16	1-1/8" 6 Pin Tapered
007-C16CRT-27	1-1/4" 6 or 7 Pin Tapered
007-C16CRT-16D	1-1/8" 6 Pin Tapered, Drill Resistant
007-C16CRT-27D	1-1/4" 6 or 7 Pin Tapered, Drill Resistant
007-CRH-26	1-1/4" 6 Pin, Hotel Function
007-CRH-26D	1-1/4" 6 or 7 Pin, Hotel Function Drill Resistant

Arrow Rim Cylinder Housing Interchangeable Core



- **Body** - Brass 1-5/32" dia., 6 or 7 pin tumbler
- **Furnished** - with backplate, cylinder collar 16 RC-113, 2 screws 1-3/4" door tailpiece 16RCR-44, less core
- **Finishes:** US3, US4, US10, US10B, US26, US26D

Models	Description
007- 16RC	Rim cylinder Housing
007-C16RCR-17	6 Pin Only
007-C16RCR-27	6 or 7 Pin
007-C16RCR-16D	6 Pin Only, Drill Resistant
007-C16RCR-27D	6 or 7 Pin , Drill Resistant

Corbin Russwin Mortise Cylinders (1-1/8")



Models	Keyway
018-1000 118A02 626D1	6D1
018-1000 118A02 626 98	981
018-1000 118A02 626 60	Z1-60
018-1000 118A02 626L4	L4
018-1010 118A01 626D1*	6D1

*High security mortise cylinder

See price list for available finishes (finish chart is on the order form)

Corbin Russwin Rim Cylinders (Not Shown)

Models	Keyway
018-3000 200 626D1 KD	D1
018-3000 200 626L4	L4
018-3000 200 626 981	981
018-3000 200 626 60	Z1-60



Ilco Cylinders

Models	Description
"PEANUT" Cylinders 3/4" diameter, 7/8" length.	
037-630 25 41	X1054K Keyway Keyed Mortise
037-631 25 41	Thumbturn Cylinder
Mortise Cylinders	
037-7185CE 03 KA2	1-1/8" Corbin L4
037-7185CE 46 KA2	1-1/8" Corbin L4
037-7185 LA 26D	1-1/8" Lockwood L1
037-7246SC1	1-1/2" SC1
Rim Cylinders	
037-7016 CE US3 KA2	Corbin L4
037-7016 CE 26D	Corbin L4
037-7016 CE 46 KA2	Corbin L4
037-7016 LA 26D	Lockwood L1
Key In Knob Cylinders	
037-15396 CE 04 KD	Corbin L4
037-15396 CE 25	Corbin L4
Dummy Mortise Cylinder	
037-7180 US10	1-1/8"
Dummy Rim Cylinders	
037-7010DC 03	
037-7010DC 25	
037-7010DC 46	

Ilco Kits & Accessories

Cylinder cams, cam screws, mounting plates, connecting bars, tailpieces.



Models	Description
037-860 00 8X	Cylinder Cam Kit
037-870 00 8X	Key Cylinder Collar Kit
037-871 00 8X	Key-in-Knob Accessory Kit
037-876 00 8X	Mort/Rim Cylinder Part Kit

Ilco Mortise Bolts

- 5/8" throw, Satin brass



037-5051

Models	Description
037-5050 04 51 (Not Shown)	Turn knob one side only, Fits doors 1-1/4" to 1-7/8" thick 2" B.S.
037-5051 04 51	Operates by key outside. Fits doors 1" to 1-1/2" thick

Sargent Mortise and Rim Cylinders



Models	Kwy.	Length	Finish
Mortise Cylinders			
060-41	LA	1-1/8"	26D
060-41	S	1-1/8"	26D
Rim Cylinders			
060-34	LA	1-1/16"	26D
060-34	S	1-1/16"	26D
Mortise Housing For IC Core			
060-6042 26D			
060-6034-26D			
H Series 6-Pin IC Core			
060-65 6300 15HA			
L Series 6-Pin IC Core			
060-65 6300 15LA			

See price list for available finishes (finish chart is on the order form)

Schlage

Mortise Cylinders (Not Shown)

Threaded solid brass. Full face cylinders are provided with compression rings, springs and spacers. Adjustment range of 1/16" to 5/32"

Models	Length	Finish	Kwy.
Standard Mortise Cylinder-with B502-191 cam			
061-20 001C11/8 626	1-1/8"	626	C
061-20 001E11/8 626	1-1/8"	626	E
Mortise Cylinder For Adams Rite-with B502-380 cam			
061-20 013C 626 1-1/8	1"	626	C
061-20 013C 613 1-1/8	1-1/8"	613	E
061-20 013E 626 1-1/8	1-1/8"	626	E
L Series Mortise Cylinders-with L583-254 cam			
061-30 001 C626 1 3/8	1-3/8"	626	C
061-30 001 E626 1 3/8	1-3/8"	626	E
061-30 021C626	1-1/4"	626	C
061-L283 040	Spring f/Mort. Lock		
061-L283 060	Spring & Spindle		
061-L583 254	Cam for Above		
*Note: 93N and 06N trim requires 1-3/8" cylinder			

Schlage

Rim Cylinders

Requires 1-3/16" bore for lush fit of trim collar.
Stocked with horizontal cylinder bar.

Models	Finish	Kwy.
061-20 022E626	626	E
061-20 022C626	626	C

Schlage

Mortise Cylinders For Everest Locksets

Models	Length	Finish	Kwy.
061-20 013C123 613	1-1/8"	613	A/R
061-20 013C123 626	1-1/8"	626	A/R
061-26 072C123 613	1-1/8"	613	C
061-26 072C145 626	1-1/8"	626	C
061-26 072C123 626	1-1/8"	626	C
061-26 072C145 613	1-1/8"	613	C
061-30 021 C123 626	1-3/8"	626	C
061-30 021 C145 626	1-3/8"	626	C
061-30 021C145 626	1-3/8"	613	C

Schlage

Rim Cylinders For Everest Locksets

Models	Finish	Kwy.
061-20 022C123 626	626	C
061-20 022C145 626	626	C




Yale

Mortise Cylinders

1-1/8" Cylinder

Models	Kwy.	Finish
078-1152 1 1/8 26D	8	26D
078-1152 1 1/8 GA26D	GA	26D
078-1152 1 1/8 GB26D	GB	26D
078-2153 1 1/8 26D	8	26D



Yale

Rim Cylinders - 0 Bitted

Models	Kwy.	Finish
078-1109 6 Pin Cylinder		
078-1109 26D6PIN	GA	26D
078-1109GA26D	8	26D
078-1109GB26D	GB	26D
078-1147	1147 Tailpiece	

Yale

Spindle



Model
078-11741/2