

# Mirror / Glass Plastic / Aluminum

See price list for available finishes (finish chart is on the order form)

## Mirrors

Sizes and Styles Available:

Models	Sizes	Descriptions
999-MIRPE-16-24-1/4	16 x 24 x 1/4"	Clear w/pencil edges
999-MIRPE-16-68-1/4	16 x 68 x 1/4"	Clear w/pencil edges
999-MIRPE-18-68-1/4	18 x 68 x 1/4"	Clear w/pencil edges
999-BEV1/2-16-24-1/4	16 x 24 x 1/4"	Clear with 1/2" beveled edges
999-BEV1/2-16-68-1/4	16 x 68 x 1/4"	Clear with 1/2" beveled edges
1999-BEV1/2-8-68-1/4	18 x 68 x 1/4"	Clear with 1/2" beveled edges
999-BEV1-18-24-1/4	18 x 24 x 1/4"	Clear with 1" beveled edges
999-BEV1-24-30-1/4	24 x 30 x 1/4"	Clear with 1" beveled edges
999-BEV1-24-36-1/4"	24 x 36 x 1/4"	Clear with 1" beveled edges

## All Types of Aluminum

- Tubes
- Channels
- L-Angles
- Available in different finishes and sizes.

## Aluminum Break Metal

- Finishes: Clear Anodized Aluminum, and Bronze Anodized Aluminum
- We Can Custom Bend to most sizes

Models	Decription
999-ABM-48-96	48" x 96" Sheets .040 gauge
999-ABM-48-120	48" x 120" Sheets .040 gauge

## Acrylics

Sizes and Styles Available:

Models	Size	Color
999-ACRY-1/4	1/4"	Clear
999-ACRY-3/8	3/8"	Clear
999-ACRY-1/2	1/2"	Clear
999-ACRY-1	1"	Clear
999-ACRY-1-1/4	1-1/4" (Bullet Resistant)	Clear
999-COLACRY-1/8	1/8"	Color
999-COLACRY-1/4	1/4"	Color

\*Custom sizes available – call for quote

## Polycarbonate

Sizes and Styles Available:

Models	Sizes	Color
999-POLY-1/4	1/4"	Clear
999-POLY-3/8	3/8"	Clear
999-POLY-1/2	1/2"	Clear
999-POLY-1/4CM2	1/4" CM2	Coated 2-Sides

\*Custom sizes available – call for quote

## Glass

Styles & Types Available:

- Etching & Sandblasting
- Table Tops
- Shelving

Models	Description
999-Glass	Custom sizes and styles available – call for quote



## C.H.M.I. Glass Connectors

Connectors available for 3/8" x 1/2" glass


Model
017-Connector

See price list for available finishes (finish chart is on the order form)

## Mirror & Glass "J" Mouldings Aluminum Anodized Finish

Model	Description	Finishes
006-006-15	1-3/16 x 11/16" x 5/16" Opening	Silver, Brite, Gold, White, Black, Oil Rub Bronze, Brushed Satin, Brushed Nickel
006-006-21	1" x 11/32" x 5/16" Opening	Silver, Brite, Gold


All "J" Trims Stocked 12 Ft. and Supplied with punched and slotted back flanges



006-006-15

## Mirror & Glass Mouldings Aluminum Polished & Anodized Finish

Models	Description		
006-006-26	L Bar	1" x 5/16" Punched & Slotted back Flange	Silver, Brite, Gold, White, Black, Oil Rub Bronze, Brushed Satin, Brushed Nickel
006-006-27	Corner Wrap	11/16" x 11/16"	Brite, Gold



006-006-21

## Mirror & Glass Mouldings Aluminum

Model	Description		
006-1021-4	Divider	1/4" Opening 1-3/8" x 17/32"	Brite, Gold



006-006-26




006-006-27

## Stainless Steel Mouldings Miscellaneous Plain Angles (Not Shown)

- Miscellaneous angles for a multitude of uses.

Models	Gauge	Size
006-4760	.020	1/2" x 1/2"
006-4780	.023	3/4" x 3/4"
006-4795	.023	1" x 1"



006-1021-4

See price list for available finishes (finish chart is on the order form)

## Carbide Wheel Glass Cutter



- Interchangeable heads.
- Oil reservoir.
- Fluid dispensing.
- Clear plastic contour grip handle.
- Set for fixed or swivel cutting.

**Model**

**065-210-1711**



## Stiff Bent Blade Putty Knives

- Russell brand.
- Heavy gauge tool steel blade.
- Bent to 35° angle.
- Extends through wood handle.
- 1-1/8" width.

**Model**

**065-210-7001**



## Stiff Bent Blade Putty Knives

- Russell brand.
- Quality high grade steel, glaze finish.
- Bent to 35° angle.
- Extends through wood handle.
- 1-5/8" width.

**Model**

**065-210-7416**


## Glass Cutters

- Cast iron medal handle.
- Fletcher -Terry ball, classic glass cutter.
- Steel wheel with a 130 hone angle.
- Each cutter individually boxed.
- Green and gold handle.



**Model**

**065-210-1002**



## Electric Putty Softener

- Saves labor.
- Saves glass.
- No damage to sash.
- Provides quick effective removal.
- Made of aluminum & special plastic.
- Uses safe calrod style element for longer life.
- Uses on either right or left handed corners.
- 120V 3.
- 3 Amps.
- 350 watts.

**Model**

**065-230-2004**



## Flat Vacuum Cup

- Durable metal handle.
- Fast attachment on smooth, nonporous flat surfaces.
- Red-line indicator warns user of any vacuum loss.
- Check valve allows repumping without loss of remaining vacuum.
- Release valve lever permits quick and complete release.
- Supplied with protective carrying case.

Models	Vacuum Pad	Load Capacity
<b>104-GN-4950</b>	Flat, 8" cup size diameter (model G0695)	125 lbs. per cup
<b>065-240-3881</b>	Flat, 9" cup size diameter (model G0725)	150 lbs. per cup
<b>065-240-3882</b>	Flat, 10" cup size diameter (model G08125)	175 lbs. per cup

See price list for available finishes (finish chart is on the order form)



## Offset Mirror Clips

- Used to mount glass behind wooden frames.
- 1/2" wide.
- 1/4" hole to bend.
- 5/32" hole.
- Nickel plated.
- Contents - 100 pieces.
- 16 Gauge steel

Model	Size
065-306-1826	1/4" Offset
065-306-1827	1/8" Offset

## Round Lip Channel Mirror Clips (Not Shown)


- Slotted Back
- 16 Gauge Steel - Nickel Plated
- 1/2" wide x 1-5/8" Long
- 1" from bend to slot
- 1-1/64" x 9/16" long slot

Models	Channel	Contents
065-306-1774	1/4" (6.35mm)	100
065-306-1776	5/16" (7.93mm)	100

## Round Lip Channel Mirror Clips (Not Shown)

- Countersunk holes.
- 16 Gauge steel.
- Nickel plated.
- 1/2" Wide x 1-1/2" long.
- Two 11/64" countersunk holes.
- 7/16" from bend to center of first hole.


Models	Channel	Contents
065-305-1775	1/4" (6.35mm)	100
065-305-1776	3/8" (9.52mm)	100



## Solid Back Plastic Mirror Clamps

Dust proof, solid back, mirror clamps are the choice of the glass trade for securing and supporting door, wall and vanity mirrors. Somaca has the most complete line of clamps all designed to increase the beauty of mirrors. Used for Mounting Mirrors to Doors & Walls

Prism	Size
065-305-4862	1/8"
065-305-4864	1/4"
065-305-5964	1/4"
065-305-4865	3/16"
Quaterfoil	Size
065-305-4808	1/8"
065-30505808	1/8"
065-305-4809	1/4"
065-305-5809	1/4"



## Quartet Mirror Clamp Set

- Dallas Design Chrome & Bright Gold Finishes Slotted Back.
- Heavy gauge steel Clip, made to support & hold 1/4" mirrors.
- Available in High Luster chrome or bright gold.
- Nose is 1-3/16" wide with a sponge backing that helps secure the mirror softly but firmly.
- Set contains four Clips and four 6 x 1 FH Screws.

Models	Finish	Contents
065-306-1501	Bright Chrome	4 Clamps/Screws
065-306-1511	Bright Gold	4 Clamps/Screws

# Mirror / Glass Plastic / Aluminum


See price list for available finishes (finish chart is on the order form)



## Hi Sheen Glass Cleaner

- Industrial strength.
- No CFC's, environmentally safe.
- For Use in the factory, shop, office, auto center, marina & home.
- No streaks, blurs or rainbows left behind.

Model	Size	Contents
065-337-1100	19 oz	12 cans



## Lazy Susan

- Constructed with 1" thick clear acrylic, inspected for clarity and abrasions before assembling.
- Standard Size is 24" w x 18" d x 24" h.
- White bases are standard on all Lazy Susans.
- Colors are available on special orders.
- Can be special ordered in either: B R Material or Lexan.

Model
093-LazySusan



## Pass Thru Boxes

- Constructed with 1-1/2" thick clear acrylic, inspected for clarity and abrasion before assembling.
- Standard Size for pass-thru-box is 16" w x 16" d x 16" h.
- Can be special ordered in either B R Material or Lexan.

Model
093-Passthru



Chromed - Steel




Alum - Satin Anodz

## "No-Draft" Metal Speak Holes

- For 3/16" - 1" Glass.
- Designed to eliminate bugs and drafts of air.
- Theft proof locking devices & cannot be removed from the outside.
- Complete unit consists of two rings, two cork gaskets and two locking screws.
- Units will accommodate glass from 3/16 to 1" thick.

Models	Material	Finish	Opening
065-318-6834	Alum.	Satin Anodz	2-1/2" - 4-1/4"
065-318-6841	Steel	Chromed	2-1/4" - 4-1/4"
065-318-6842	Steel	Chromed	2-1/4" - 5-1/4"



## Ticket Window Cover

A smartly styled aluminum ticket cover with 1/4" glass frame channel. The swing away door is equipped with a tampering spring loaded snap lock, plus a retaining pin for security.

- Satin Anodz. Finish.
- Inside Opening 6-1/2" W x 3-1/4" H.

Model
065-318-4720

See price list for available finishes (finish chart is on the order form)



## PERM-E-LASTIC

PERM-E-LASTIC Glazing Compound is a ready-to-use oil based elastic compound specially formulated for interior or exterior use on wood or metal sash (including aluminum). PERM-E-LASTIC Glazing Compound adheres tenaciously to sash and glass, expands and contracts with the weather and forms a tough surface coating yet remains permanently elastic. Paint after skin has formed (usually within 48 to 96 hours depending on weather conditions) or at least within 4 weeks time with a quality oil-based or latex paint. If necessary, paint can be applied immediately with a quality oil-based paint only.

The PERM-E-LASTIC name is a sign of quality. Over 50 years of continuous improvement through research, improved manufacturing methods, and the finest raw materials combine in the production of products that will make your customer a repeat customer.

Models	Size	Color	Case Packing
008-0110-1-6	Quart	White	6 pieces per case
008-0115-1-2	Gallon	White	2 pieces per case
008-0100-1	Pint		



## Glass Cleaner

Burco® Window Glo® glass cleaner - take it all off and don't worry about streaking.

- Safe - approved for use with major auto glass, urethane, and primer systems.
- Cost Effective - non-aerosol means you use less.
- Efficient - quickly cuts through dirt, contains no ammonia or vinegar to leave streaks.
- Flexible - available in refillable 24 ounce sprayers, 1 gallon jugs and 5 gallon Bag-in-A-Box. (15k .JPG).

Models	Description	Qty/Case
012-47505	1 gallon jug	4
012-47507	5 gallon Bag-In-A-Box	Each



## Metal Polish

Flitz Metal Polish Fiberglass & Paint Restorer available in a paste or liquid form. Contains no ammonia or abrasives. Safely cleans, Polishes & Protects: Brass, Copper, Silverplate, Sterling, Chrome, Stainless Steel, Nickel, Bronze, Gold, Aluminum, Anodized Aluminum, Pewter, Factory Gun Bluing, Bore cleaning, Painted Surfaces. Removes: Tarnish, Rust, Water Stains, Oxidation, Fingerprints.

Models	Description
028-150M	150 Gram (5.29 oz.) Tube of Flitz Metal polish Fiberglass & Paint Restorer only
028-50M	50 Gram (1.76 oz.) Tube of Flitz metal polish Fiberglass & Paint Restorer
028-250M	250 ml (8.5 oz.) Bottle of liquid Flitz Metal Polish Fiberglass & Paint Restorer
028-950M	950 ml (32.1 oz) Bottle of liquid Flitz Metal Polish Fiberglass & Paint Restorer

# Mirror / Glass Plastic / Aluminum

See price list for available finishes (finish chart is on the order form)

## Gunther Mirror Mastics Ultra Bond Mirror Mastic

- For professional mirror installations.
- Strong permanent bond for mirror to: drywall, wood, metals, and many more surfaces
- Remains flexible
- Will compress to 1/32"



<b>Model</b>
<b>032-MIRROR MASTIC</b>



## Plastic Clean & Shine Novus 1

Use On: All uncoated Plastics, Fiberglass, Computers & Auto Interiors

Gently cleans all plastics without scratching. Leaves a lustrous shine that resists fogging repels dust and eliminates static. Protects against smudges and scratching.

Model	Description
<b>051-200-7020</b>	8 Fl. oz. Spray Bottle



## Fine Scratch Remover Novus 2

Removes fine scratches, haziness and abrasions from most plastic surfaces. Restores Original appearance to faded and discolored plastics.

Model	Description
<b>051-200-7030</b>	8 Fl. oz. Applicator Bottle



## Heavy Scratch Remover Novus 3

Removes heavy scratches and abrasions from most acrylic surfaces. Contains abrasive. Not for eyeglasses, polycarbonates or coated plastics. Use No.2 for final finishing.

Model	Description
<b>051-200-7050</b>	8 Fl. oz. Applicator Bottle

See price list for available finishes (finish chart is on the order form)

## Tremco Spectrem 1

- A low modulus, high performance, one part basic cure, architectural grade, silicone joint sealant

### Basic Uses

- Dynamic moving joints
- Pre-cast panel joints
- Window perimeter seals



### Colors

- Precast White, Off White, Limestone, Bronze, Aluminum Stone, Graystone, Black & Custom Colors are available

Model	Description
069-spectrem1	Spectrem1

## Tremco Spectrem 2

- A One-part, high performance, natural cure, medium modulus, silicone sealant



### Basic Uses:

- 2-sided structural glazing
- Cap, heel and toe beads
- Perimeter joints seals

### Colors

- White, Off White, Dark Bronze, Gray, Black & Custom Colors are available

Model	Description
069-spectrem2	Spectrem2

## Tremco Vulkem 116

- General Purpose
- Interior/Exterior Use
- Window frame perimeters
- Precast and masonry joints
- A single component gun grade polyurethane joint sealant

### Colors

- White, Limestone, Aluminum, Gray, Dark Tan, Bronze, Ivory, Black, Redwood Tan, Almond, Brown

Model	Description
069-116	Vulkem 116

## Silicone Priming Chart

Substrate	Spectrem 1	Spectrem 2
<b>Concrete &amp; Masonry</b>		
Poured concrete	Clean & Dry	Clean & Dry
Concrete Block	Clean & Dry	Clean & Dry
Precast Concrete	Abrade, Clean & Dry	Abrade, Clean & Dry
Brick	Clean & Dry	Clean & Dry
Glazed Brick	Clean & Dry	Clean & Dry
<b>EIFS</b>		
Dryvit	Primer 23	Primer 23
Senergy	Primer 23	Primer 23
Sto	Primer 23	Primer 23
Thoro	Primer 23	Primer 23
<b>Stone</b>		
Limestone	Primer 23	Primer 23
Marble	Primer 23	Primer 23
Granite	Clean & Dry	Clean & Dry
Sandstone	Clean & Dry	Clean & Dry
<b>Glass</b>		
Insulating	Solvent Wipe	Solvent Wipe
Float, Plate, Sheet	Solvent Wipe	Solvent Wipe
Laminated	Solvent Wipe	Solvent Wipe
Reflective or Tinted	Solvent Wipe	Solvent Wipe
<b>Paints</b>		
Kyner, Duranar, Fluor.	Solvent Wipe/Primer 10 or 23	Solvent Wipe
Silicone Alkyd or Polyest	Solvent Wipe	Solvent Wipe
PVC	Solvent Wipe Primer 10 or 23	Solvent Wipe Primer 10 or 23
Polyurethane	Solvent Wipe	Solvent Wipe
<b>Metals</b>		
Alum. Anod, or Alodine	Solvent Wipe	Solvent Wipe
Aluminum-Mill	Solvent Wipe	Solvent Wipe
Copper/Bronze	Solvent Wipe	Solvent Wipe
Steel	Solvent Wipe	Solvent Wipe
Stainless	Solvent Wipe	Solvent Wipe
Galvanized	Solvent Wipe	Solvent Wipe
<b>Plastic</b>		
Acrylic Sheet	Clean & Dry	Clean & Dry
Lexan	Clean & Dry	Clean & Dry
Polycarbonate	Clean & Dry	Clean & Dry
PVC	Clean & Dry	Clean & Dry